

(19) World Intellectual Property Organization
International Bureau




(43) International Publication Date
29 November 2001 (29.11.2001)

PCT

(10) International Publication Number
WO 01/90829 A3

- (51) International Patent Classification⁷: **G05B 19/042** (74) Agent: **FEMAL, Michael, J.**; Special IP Counsel - Automation Business, Square D Company, 1415 South Roselle Road, Palatine, IL 60067 (US).
- (21) International Application Number: **PCT/US01/12753**
- (22) International Filing Date: **19 April 2001 (19.04.2001)** (81) Designated States (*national*): **AU, CA.**
- (25) Filing Language: **English** (84) Designated States (*regional*): **European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR).**
- (26) Publication Language: **English**
- (30) Priority Data: **09/578,132** **24 May 2000 (24.05.2000)** **US** Published: **— with international search report**
- (71) Applicant: **SCHNEIDER AUTOMATION INC.** (88) Date of publication of the international search report: **11 April 2002**
[US/US]; One High Street, North Andover, MA 01845 (US).
- (72) Inventor: **WISCHINSKI, Rainer, H.**; 110 North Road, Sandown, NH 03873 (US).
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: **SYSTEM FOR REMOTE CONFIGURATION MONITORING OF AN INDUSTRIAL CONTROL SYSTEM**



(57) Abstract: A system for providing technical support for remote automation or control devices. It includes: a device identifier, for determining components of pre-determined automation or control devices, such as for example programmable logic controllers, indicated in a device database by periodically querying the devices to have each device indicate its component hardware, software, and firmware, the device identifier for providing the device database with component identifications for the predetermined devices; and a device configuration manager, responsive to the component identifications in the device database, and further responsive to available device components in a database of available device components, for comparing the installed device components with the available device components and for providing an offer to upgrade installed device components. In some applications, the system also includes a system diagnostics manager, responsive to the component identifications in the device database, and further responsive to diagnostics information in a database of end user system diagnostics, for providing device status queries, and for updating the database of end user system diagnostics based on responses to the device status queries.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 01/12753

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 G05B19/042

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G05B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	EP 0 811 942 A (CYBER MEDIA INC) 10 December 1997 (1997-12-10) the whole document	1-7
Y	FR 2 692 701 A (AEROSPATIALE) 24 December 1993 (1993-12-24) the whole document	1,5-7
Y	EP 0 822 473 A (CANON KK) 4 February 1998 (1998-02-04) the whole document	2,3
Y	PATENT ABSTRACTS OF JAPAN vol. 2000, no. 08, 6 October 2000 (2000-10-06) & JP 2000 138706 A (SAMSUNG ELECTRONICS CO LTD), 16 May 2000 (2000-05-16) abstract	4
-/-		

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *Z* document member of the same patent family

Date of the actual completion of the international search

20 December 2001

Date of mailing of the international search report

03/01/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Hauser, L

INTERNATIONAL SEARCH REPORT

Int. Application No

PCT/US 01/12753

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5 800 473 A (FAISANDIER YVES) 1 September 1998 (1998-09-01) the whole document ---	1
A	EP 0 838 742 A (FANUC LTD) 29 April 1998 (1998-04-29) the whole document ---	1
A	US 5 903 455 A (SHARPE JR RICHARD R ET AL) 11 May 1999 (1999-05-11) the whole document -----	1

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 01/12753

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0811942	A	10-12-1997	US 6151643 A AU 2477797 A CA 2207162 A1 EP 0811942 A2 JP 10091407 A	21-11-2000 11-12-1997 07-12-1997 10-12-1997 10-04-1998
FR 2692701	A	24-12-1993	FR 2692701 A1 US 5579511 A	24-12-1993 26-11-1996
EP 0822473	A	04-02-1998	JP 10097966 A JP 11015520 A EP 0822473 A2	14-04-1998 22-01-1999 04-02-1998
JP 2000138706	A	16-05-2000	CN 1250296 A DE 19932974 A1 GB 2341759 A ,B	12-04-2000 03-02-2000 22-03-2000
US 5800473	A	01-09-1998	FR 2744817 A1 DE 69702273 D1 DE 69702273 T2 EP 0791373 A1 JP 10069388 A	14-08-1997 20-07-2000 22-02-2001 27-08-1997 10-03-1998
EP 0838742	A	29-04-1998	JP 9305212 A EP 0838742 A1 WO 9743702 A1	28-11-1997 29-04-1998 20-11-1997
US 5903455	A	11-05-1999	US 6094600 A AU 1849397 A EP 0885412 A1 EP 0962845 A2 EP 0961184 A2 JP 2000504865 T WO 9729409 A1 AU 1757497 A CA 2247379 A1 DE 69707425 D1 EP 0879444 A1 JP 2000504864 T WO 9729408 A1 US 5796602 A US 5960214 A	25-07-2000 28-08-1997 23-12-1998 08-12-1999 01-12-1999 18-04-2000 14-08-1997 28-08-1997 14-08-1997 22-11-2001 25-11-1998 18-04-2000 14-08-1997 18-08-1998 28-09-1999

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
29 November 2001 (29.11.2001)

PCT

(10) International Publication Number
WO 01/90829 A2

- (51) International Patent Classification⁷: **G05B 19/042**
- (21) International Application Number: **PCT/US01/12753**
- (22) International Filing Date: **19 April 2001 (19.04.2001)**
- (25) Filing Language: **English**
- (26) Publication Language: **English**
- (30) Priority Data:
09/578,132 **24 May 2000 (24.05.2000)** **US**
- (71) Applicant: **SCHNEIDER AUTOMATION INC.**
[US/US]; One High Street, North Andover, MA 01845 (US).
- (72) Inventor: **WISCHINSKI, Rainer, H.**; 110 North Road, Sandown, NH 03873 (US).
- (74) Agent: **FEMAL, Michael, J.**; Special IP Counsel - Automation Business, Square D Company, 1415 South Roselle Road, Palatine, IL 60067 (US).
- (81) Designated States (*national*): **AU, CA.**
- (84) Designated States (*regional*): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR).
- Published:**
— *without international search report and to be republished upon receipt of that report*
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*



WO 01/90829 A2

(54) Title: **SYSTEM FOR REMOTE CONFIGURATION MONITORING OF AN INDUSTRIAL CONTROL SYSTEM**

(57) Abstract: A system for providing technical support for remote automation or control devices. It includes: a device identifier, for determining components of pre-determined automation or control devices, such as for example programmable logic controllers, indicated in a device database by periodically querying the devices to have each device indicate its component hardware, software, and firmware, the device identifier for providing the device database with component identifications for the predetermined devices; and a device configuration manager, responsive to the component identifications in the device database, and further responsive to available device components in a database of available device components, for comparing the installed device components with the available device components and for providing an offer to upgrade installed device components. In some applications, the system also includes a system diagnostics manager, responsive to the component identifications in the device database, and further responsive to diagnostics information in a database of end user system diagnostics, for providing device status queries, and for updating the database of end user system diagnostics based on responses to the device status queries.

SYSTEM FOR REMOTE CONFIGURATION MONITORING
OF AN INDUSTRIAL CONTROL SYSTEM

BACKGROUND OF THE INVENTION

1. Technical Field

5 The present invention pertains to the field of industrial control automation. More particularly, the present invention pertains to providing technical support over a network for an industrial control system.

2. Description of Related Art

10 Industrial control systems (ICSSs) are often provided technical support by vendors of equipment used in the control systems. As new equipment becomes available, including hardware, software or firmware, it would be useful for both the control system user/ owner and the vendor if the vendor were
15 able to automatically suggest to an end user, from a remote location (the vendor's facility), specific upgrades to the existing equipment, as opposed to for example, simply providing periodically end users with a catalog of the latest available equipment. To do this for only the equipment that the vendor
20 originally provided would require only that the vendor keep track of the latest equipment the vendor provided to the end user. But it is also desirable for a vendor to be able to suggest to an end user that equipment provided by some other vendor be replaced by the vendor's new equipment.

25 Today, industrial control systems can often be interrogated to determine what equipment is being used. Thus, a vendor can learn what equipment is being used in an ICS even when the equipment was provided by another vendor.

What is needed is a system for interrogating an ICS from a remote location to learn what equipment is being used, and in case of an alternative to a piece equipment being available, to suggest to the owner/ operator of the ICS that the piece of equipment be replaced.

SUMMARY OF THE INVENTION

Accordingly, the present invention provides a system for providing technical support for remote automation or control devices, including: a device identifier, for determining components of pre-determined automation or control devices indicated in a device database by periodically querying the devices to have each device indicate its component hardware, software, and firmware, the device identifier for providing the device database with component identifications for the predetermined devices; and a device configuration manager, responsive to the component identifications in the device database, and further responsive to available device components in a database of available device components, for comparing the installed device components with the available device components and for providing an offer to upgrade installed device components.

In a further aspect of the invention, the system also includes: a system diagnostics manager, responsive to the component identifications in the device database, and further responsive to diagnostics information in a database of end user system diagnostics, for providing device status queries, and for updating the database of end user system diagnostics based on responses to the device status queries.

In another, further aspect of the invention, the components of pre-determined automation or control devices are programmable logic controllers.

5 In yet another, further aspect of the invention, the device identifier communicates with the components of pre-determined automation or control devices via a wireless access protocol.

10 In still another, further aspect of the invention, the system also includes a general technical information database, for providing general technical information about products organized by topic, and further wherein the general technical information database maintains a record of requests for information made about a topic, thereby providing feedback on the useability of products.

BRIEF DESCRIPTION OF THE DRAWINGS

15 The above and other objects, features and advantages of the invention will become apparent from a consideration of the subsequent detailed description presented in connection with accompanying drawings, in which:

20 Fig. 1 is a context block diagram showing a technical support system for interrogating an ICS and for providing suggestions for upgrading components (pieces of equipment) used by the ICS; and

25 Fig. 2 is a more detailed block diagram of the technical support system module showing its interaction with equipment of the ICS and with the owner/ operator of the ICS (end user).

BEST MODE FOR CARRYING OUT THE INVENTION

Referring now to Fig. 1, to interrogate an industrial control system (ICS) and provide suggestions for upgrading components (pieces of equipment) used by the ICS, a technical support system (TSS) 11 includes a browser for communicating over the Internet via an E-support (indicating support over the Internet) server 14. Either autonomously or at the direction of a technical support provider 17, the TSS 11 at the technical support premises 10 interrogates control or automation devices 22 and 26 of an ICS at ICS premises 20. The control or automation devices 22 and 26 can be connected to the Internet either via a separate server, such as a thin server 23 (any industrialized dedicated support and diagnostic server used to web-enable low-end or legacy devices), or via an embedded web server 21. Communication over the Internet is also shown occurring through a wireless access protocol (WAP) gateway 12 to a wireless (Internet) service provider 13. Correspondingly, at the ICS premises, Internet communications are received via a mobile maintenance station 25, such as a cell phone with an interface to a browser. Having the WAP gateway and the mobile maintenance station 25 allows a service provider on a call to a customer to use a cell phone to call the E-support server 14 through the WAP gateway and obtain information about the customer's system configuration and so to determine what equipment to bring on the call.

Fig. 1 also shows a 3rd party WEB portal 15 having access to a sales database 16. The 3rd party WEB portal is a separate E-server, remote from the technical support premises and connected via the Internet to the E-support server 14 at the technical support premises. The sales database 16 stores sales

information from which information about the configuration of an ICS can be determined.

If the TSS 11 detects equipment being used by the ICS, equipment that the owner/ operator might wish to replace with alternative equipment, the TSS (again either autonomously or under the direction of a technical support provider 17) sends a message to an end user 27 of the ICS indicating that new equipment is available and asking whether the end user would like to replace or upgrade the equipment currently in use.

Referring now to Fig. 2, the TSS 11 is shown in more detail as including a device identifier 35 that interrogates, over the Internet, ICS device 38 attached to the Internet via a web server 37, which may be an embedded server or a standalone server. Based on the information provided in the responses, the device identifier 35 updates a database (DB) 33 of end user devices and components of devices. In turn, a device configuration manager 36 examines the DB 33 of end use devices and components, comparing them with available equipment stored in a DB 34 of available device components. If the device configuration manager 36 detects that the owner/ operator might wish to replace or upgrade some equipment, the device configuration manager 36 (either autonomously or under the direction of a technical support provider 17) sends a message to an end user 27 of the ICS via an engineering workstation 24 indicating that new equipment is available and offering to replace the equipment currently in use. If the response by the end user 27 is to accept the offer to upgrade and the equipment to be upgraded is software or programmable firmware, the technical support provider 17 will work with the end user 27 to put the ICS in a state to accept the upgrade. Usually, for example, the device with the equipment to be upgraded will have

to be put in a safe state before the upgrade is made. The upgrade can then be performed over the Internet, and the device returned to a state of control or automation after the upgrade is completed. In case of upgrading hardware, however, the equipment must first be shipped to the ICS facility. After it arrives, the technical support provider 17 works with the end user 27 to put the ICS in a state to accept the upgrade, and directs the end user in swapping out the equipment.

Besides providing updates or alternatives to ICS equipment in the sense of control or automation devices, the device identifier 35 can also identify (software) tools being used by the ICS to monitor and predict performance of the ICS network, usually a proprietary network, to perform process optimization (for example, to tune the network or to tune an application), to do configuration management (keeping track of changes to the ICS configuration, including changes made to application software), to perform quotations for system upgrades, to perform troubleshooting in case of a malfunction by the ICS, and tools to enable programming for elements of the ICS including either devices or the ICS network.

The remote interrogation capability of the present invention is also useful in performing system diagnostics from the technical support premises, i.e. remotely. System diagnostics includes diagnostics directed to preventive maintenance, machine utilization, machine troubleshooting and other machine diagnostics, process diagnostics, and overall system diagnostics. Thus, system diagnostics are needed for example in troubleshooting, i.e. in case of having to identify an error condition in the ICS, or in detecting when preventive maintenance is needed, including possibly replacing equipment, or in performing process control decisions for the ICS. Still

referring to Fig. 2, the TSS 11 is shown as also including a system diagnostics manager 32 that interrogates the device 38 of the ICS to obtain status information from the device, the information then being used by the system diagnostics manager 32 at the technical support premises, possibly with intervention by the technical support provider 17, in performing system diagnostics for the ICS.

Referring again to Fig. 1, the present invention also provides a general technical information DB 18, hosted by the E-support server 14, accessible to the end user 27, but kept secure against unauthorized attempts at changes to its data. It includes documents providing technical information about products produced by a manufacturer, i.e. brochures, manuals, help, frequently asked questions, problem resolution procedures, technical images (such as photographs and drawings), and associated maintenance documentation, as well as other general technical information. The general technical information database 18 is structured by topic, regularly updated, and allows hyperlinking from web-connected tools, i.e. tools such as a browser. In addition, the general technical information database 18 includes structured interactive training modules to familiarize users with new technology.

The database 18 of general technical information tracks the number of hits for each topic stored in the database, i.e. it tracks the number of customer requests to view each topic. In addition, it tracks which customer makes each request. Such tracking information is used to determine which products are difficult for a customer to use, and which customers in particular are experiencing difficulty using a particular product. Thus, the database 18 of general technical information

provides feedback information on the useability of products,
feedback that can be used to improve the products.

Through remote interrogation of ICS devices, the present
invention thus provides an approach to meeting customer needs
5 that is individualized to the customer, context-driven and needs
specific.

It is to be understood that the above-described
arrangements are only illustrative of the application of the
principles of the present invention. Numerous modifications and
10 alternative arrangements may be devised by those skilled in the
art without departing from the spirit and scope of the present
invention, and the appended claims are intended to cover such
modifications and arrangements.

What is claimed is:

1 1. A system for providing technical support for remote
2 automation or control devices, comprising:

3 a) a device identifier, for determining components of pre-
4 determined automation or control devices indicated in a device
5 database by periodically querying the devices to have each
6 device indicate its component hardware, software, and firmware,
7 the device identifier for providing the device database with
8 component identifications for the predetermined devices; and
9 b) a device configuration manager, responsive to the component
10 identifications in the device database, and further responsive
11 to available device components in a database of available device
12 components, for comparing the installed device components with
13 the available device components and for providing an offer to
14 upgrade installed device components.

1 2. The system of claim 1, further comprising:

2 c) a system diagnostics manager, responsive to the component
3 identifications in the device database, and further responsive
4 to diagnostics information in a database of end user system
5 diagnostics, for providing device status queries, and for
6 updating the database of end user system diagnostics based on
7 responses to the device status queries.


1 3. A system as in claim 1, wherein the components of pre-
2 determined automation or control devices are programmable logic
3 controllers.


1 4. A system as in claim 1, wherein the device identifier
2 communicates with the components of pre-determined automation or
3 control devices via a wireless access protocol.

1 5. A system as in claim 1, further comprising a general
2 technical information database, for providing general technical
3 information about products organized by topic, and further
4 wherein the general technical information database maintains a
5 record of requests for information made about a topic, thereby
6 providing feedback on the useability of products.

1 6. A system as in claim 5, further wherein the record of
2 requests for information made about a topic includes an
3 identification of the requester.

1 7. A system as in claim 1, wherein the device identifier
2 queries the devices via the Internet.

**Fig. 1**

**Fig. 2**

THIS PAGE BLANK (USPTO)